

## "M" SERIES COIL ADAPTERS FOR 3/4"-20 SHIELDED SPARK PLUGS



**Coil Adapter with long male terminal for use with 3/4"-20 spark plugs having extended terminal wells; such as Champion RHW77N shown below.**

**Available in a variety of configurations to meet every application.**

- Available in a variety of lengths (see chart below).
- Available with standard or long length male terminal.
  - Specify standard male terminal when connecting to 3/4"-20 spark plugs with standard terminal wells; such as, BG RB118SD, RBH485SD, or Champion RHM77N, RHM83N, RHM85G.
  - Specify long male terminal when connecting to 3/4"-20 spark plugs with extended terminal wells; such as Champion RHW77N or RHW80N.
- Available with either teflon or ceramic insulator. Specify ceramic where temperatures exceed 500F
- Rugged stainless steel construction for maximum durability. Spare parts kit available to change insulator assembly when required.
- Most models CSA approved for Class 1, Group D, Division 2 hazardous locations.



**Coil Adapter with standard male terminal for use with 3/4"-20 spark plugs with standing depth terminal wells shown below.**

Coil Adapter Model	Length*	Spark Plug Terminal	Insulator	Spare Parts Kit No.
M8-1C	.75	Long	Ceramic	RM8-1C
M8-1T	.75	Long	Teflon	RM8-1T
M8-2C	.75	Standard	Ceramic	RM8-2C
M8-2T	.75	Standard	Teflon	RM8-2T
M15-2C	1.50	Standard	Ceramic	RM15-2C
M28-1C	2.75	Long	Ceramic	RM28-1C
M28-1T	2.75	Long	Teflon	RM28-1T
M28-2C	2.75	Standard	Ceramic	RM28-2C
M28-2T	2.75	Standard	Teflon	RM28-2T
M68-1C	6.32	Long	Ceramic	RM68-1C
M68-1T	6.32	Long	Teflon	RM68-1T
M68-2C	6.32	Standard	Ceramic	RM68-2C
M68-2T	6.32	Standard	Teflon	RM68-2T
M80-1C	8.00	Long	Ceramic	RM80-1C
M90-2C	9.00	Standard	Ceramic	RM90-2C
M90-2T	9.00	Standard	Teflon	RM90-2T
M108-1C	10.75	Long	Ceramic	RM108-1C
M108-1T	10.75	Long	Teflon	RM108-1T
M108-2C	10.75	Standard	Ceramic	RM108-2C





M108-2T	10.75	Standard	Teflon	RM108-2T
M188-1C	18.75	Long	Ceramic	RM188-1C
M188-1T	18.75	Long	Teflon	RM188-1T
M188-2C	18.75	Standard	Ceramic	RM188-2C
M188-2T	18.75	Standard	Teflon	RM188-2T

\*Length shown is length added to installed height of spark plug (in inches)

**"E" Series Coil Adapters For 5/8"-24 Shielded Spark Plugs**

- Designed for engines converted from diesel to natural gas, where space limitations prevent the use of 3/4"-20 type shielded spark plugs.
- Available in a variety of lengths.
- Ceramic insulator.

Coil Adapter Model	Length*	Spare Parts Kit No.
E10	1.00	RE10
E15	1.50	RE15
E30	3.00	RE30
E36.6	3.66	RE36.6
E50	5.00	RE50
E60	6.00	RE60

\*Length shown is length added to installed height of spark plug (in inches)



[Previous Page](#)

[HOME](#) | [CONTACT BG](#) | [REFERENCE GUIDE](#)

[Next Page](#)

